200300204

No.

THE UNIVERD STAYIES O

<u>TO ALL TO WHOM THESE; PRESENTS; SHALL COME;</u>

Ilorida Agricultural Experiment Station

THECCUS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE **EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT** VARIETY PROTECTION UNDER THE LAW.

NOV. THEREPORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC EPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE TITIE EXCLUDITOTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR ING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE URPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE DR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT FHE PLANT VARIETY PROTECTION ACT. IN THE UNITED STATES SEED OF THIS VARIETY (1) SHAT DBY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER ATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEANUT

'Carver'

In Testiment Therest, I have hereunto set my hand and caused the seal of the Hunt Unriety Protection Office to be affixed at the City of Washington, D.C. this twenty-fifth day of August, in the year two thousand and five.

Plant Variety Protection Office Agricultural Marketing Servic

ST-470 (02-10-2003) designed by the Plant Variety Protection Office using Word 2000. Replaces former versions of ST-470, which are obsolete.

(See reverse for instructions and information collection burden statement;

	-productions		Form Approved - OMB No. 0581-0055
U.S. DEPARTMENT OF AG AGRICULTURAL MARKETIN SCIENCE AND TECHNOLOGY - PLANT VAR	IO OFBUIDE	The following statements are made in according the Paperwork Reduction Act (PRA) of 199	rdance with the Drivery Act of 1074 (5 1) 5 0 Fro
APPLICATION FOR PLANT VARIETY PR (Instructions and information collection bur	OTECTION CERTIFICATE	Application is required in order to determine (7 U.S.C. 2421). Information is held confide	if a plant variety protection certificate is to be issued ential until certificate is issued (7 U.S.C. 2426).
1. NAME OF OWNER Florida Agricultural Francis	RAD	2. TEMPORARY DESIGNATION OR	3. VARIETY NAME
Florida Agricultural Experi University of Florida, IFAS	ment Station 5/6/69	EXPERIMENTAL NAME UF97102	Carver
4. ADDRESS (Street and No., or R.F.D. No., City, State, and	ZIP Code, and Country)	5. TELEPHONE (include area code)	
Office of Dean for Research			FOR OFFICIAL USE ONLY PVPO NUMBER
1022 McCarty Hall, Universi	ty of Florida	352-392-1784	FALONOMBEK
P. O. Box 110200		6. FAX (include area code)]
Gainesville, FL 32611-0200		352-392-4965	FILING DATE
 IF THE OWNER NAMED IS NOT A "PERSON", GIVE FOR ORGANIZATION (corporation, partnership, association, etc. 	M OF 8. IF INCORPORATED, GIVE STATE OF INCORPORATION	9. DATE OF INCORPORATION	
University Ag. Expt. Stn. (Pul	olic) NA	NA NA	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (Firs	t person listed will receive all papers)	F FILING AND EXAMINATION FEES:
Dr. Daniel W. Gorbet	• ***	· · · · · · · · · · · · · · · · · · ·	E
North Florida Research and	Education Center		E \$
3925 Highway 71			R DATE
Marianna, FL 32446			E CERTIFICATION FEE:
			E \$
			V
			E DATE
11. TELEPHONE (Include area code)	12. FAX (Include area code)	13. E-MAIL	14. CROP KIND (Common Name)
850-482-9956	850-482-9917	dgorbet@mail.ifas.ufl.edu	Peanut
15. GENUS AND SPECIES NAME OF CROP		16. FAMILY NAME (Botanical)	17. IS THE VARIETY A FIRST GENERATION
Arachis hypogaea L.		Leguminoseae	HYBRID?
18. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT S (Follow instructions on reverse) a. X Exhibit A. Origin and Breeding History of the Varie b. X Exhibit B. Statement of Distinctness		X YES (If "yes", answer items 20 and	of the Plant Variety Protection Act) d 21 below) □ NO (if "no", go to item 22)
c. Exhibit C. Objective Description of Variety		20. DOES THE OWNER SPECIFY THAT SEED VARIETY BE LIMITED AS TO NUMBER OF	OF THIS TY YES INO
d. 🔀 Exhibit D. Additional Description of the Variety (Or			
e. Exhibit E. Statement of the Basis of the Owner's O		IF YES, WHICH CLASSES? 🖾 FOUN	DATION A REGISTERED D CERTIFIED
f. Voucher Sample (2,500 viable untreated seeds or, verification that tissue culture will be deposited and	for luber propagated varieties	21. DOES THE OWNER SPECIFY THAT SEED VARIETY BE LIMITED AS TO NUMBER OF	GENERATIONS?
reposrory)		IF YES, SPECIFY THE NUMBER 1,2,3, etc.	FOR EACH CLASS.
g. 🕅 Filing and Examination Fee (\$3,652), made payable States* (Mail to the Plant Variety Protection Office)	e to "Treasurer of the United	FOUNDATION REGISTERED (If additional explanation is necessary, pleas	CERTIFIED to use the space indicated on the reverse.)
22. HAS THE VARIETY (INCLUDING ANY HARVESTED MATE FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRAN OTHER COUNTRIES?	RIAL) OR A HYBRID PRODUCED SFERRED, OR USED IN THE U.S. OR		F THE VARIETY PROTECTED BY INTELL SCILLA
YES May 2002 D IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Ple	NO E. DISPOSITION, TRANSFER, OR USE case use space indicated on reverse.)	YES IF YES, PLEASE GIVE COUNTRY, DATE OF REFERENCE NUMBER. (Please use space	M NO F FILING OR ISSUANCE AND ASSIGNED indicated on reverse.)
24. The owners declare that a viable sample of basic seed of for a tuber propagated variety a tissue culture will be depo	the variety has been furnished with applica-	ion and will be replenished upon request in accor	rdance with such regulations as may be applicable, or
The undersigned owner(s) is(are) the owner of this sexual and is entitled to protection under the provisions of Section	ly reproduced or tuber propagated plant van n 42 of the Plant Vanety Protection Act.	riety, and believe(s) that the variety is new, distin	
Owner(s) is(are) informed that false representation herein	can jeopardize protection and result in pen	alties.	
SIGNATURE OF ONLY EN LAWELL W. D.	rbet	SIGNATURE OF OWNER	
NAME (Please print or type)		NAME (Please print or type)	La Companya
Daniel W. Gorbet		Richard L. Jones	en en fat begen ferske til statet i sen en e
The state of the s	DATE TO SEE THE SECOND SECTION OF THE SECOND SEC	CAPACITY OR TITLE DAT	FE The responsibility of personal and the second of the second
Professor/Breeder	April 11, 2003	Dean for Research	

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repositery; (4) check drawn on a U.S. bank for \$3,652 (\$432 filling fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial application will be held in the PVPO for not more than 90 days, then returned to the applicant as unfiled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM
18a. Give:

(1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;

(2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:

(1) identify these varieties and state all differences objectively;

(2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and

- (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)

As noted (Breeder, Foundation, Registered, Certified (one year each).

22. CONTINUED FROM FRONT (Please provide the date of first saie, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

May 2002 (Foundation)

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NA

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/isg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency fray not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, dathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family statu political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5984 (voice and TDD). USDA is an equal opportunity provider and employer.

ST-470 (02-10-2003) designed by the Plant Variety Protection Office with Word 2000. Replaces former versions of ST-470, which are obsolete.

16a. Exhibit A – Origin and Breeding History of Variety

Carver (UF97102) came from a cross made in the greenhouse at Marianna, Florida in 1990. The female parent was a sisterline of 'Okrun', which has 'Florunner' as a parent and is similar to Florunner in phenotype. The male parent (NC3033) is a breeding line released by the North Carolina State University breeding program for its resistance to CBR and S. rolfsii, being a small seeded Virginia. Both parents are Arachis hypogaea ssp. hypogaea var. hypogaea.

Carver = UF
$$97102 = 90x7-1-5-1-\underline{b2}-B$$

[OKFH15 x NC3033]

The cross was made to develop a medium maturity popular of material to select for resistance to white mold ($S.\ rolfsii$) and CBR ($Cylindrocladium\ crotalariae$) with good pod yields and grades for runner market-type. A pedigree selection program was followed in the F_1 - F_5 under sprayed (leafspot), medium/high management production conditions. Limited pressure was present in the fields from $S.\ rolfsii$ and/or CBR but no fungicides were used to help control these two diseases. Seed from two F_5 plants were bulked to initiate yield test in the field at Marianna in 1996. Tests were conducted at Marianna and Gainesville beginning in 1997 and continued through 2004. Plots and seed increases have been/are uniform in plants/pod/seed type being very uniform and stable in phenotype with no variants evident from the time of initial yield testsing.

Population size varied from about 120-30 plants for the F₂-F₅ and single plants were used to advance generation that ultimately resulted in Carver. Only seed from F₅ plants were bulked to produce Carver.

Carver is a runner market-type peanut with a prostrate to semi-prostrate growth habit. The branching, leaf size and color are normal but tend to be somewhat lighter green than Florunner. The center stem is prominent at commercial seeding rates. The seed are pink (testa) and rounded to somewhat elongated, being somewhat longer than Florunner.

References:

- 1) Banks, D. J., J. S. Kirby, and J. R. Sholar. 1989. Registration of 'Okrun' Peanut. Crop Sci. 29:1574.
- 2) Beute, M. F., J. C. Wynne, and D. A. Emery. 1976. Registration of NC3033 peanut germplasm. Crop Sci. 16:887.
- 3) Gorbet, Daniel W. 2003. Carver A new medium maturity peanut cultivar. UF Agric. Expt. Stn., NFREC Res. Rpt. 03-5, 6 p.
- 4) Norden, A. J., R. W. Lipscomb, and W. A. Carver. 1969. Florunner, a new peanut variety. UF Agric. Expt. Stn. Circ. S-196.

16.b. Exhibit B – Novelty Statement

Carver is a runner market-type peanut with runner/prostrate growth habit. It is most similar to SunOleic 97R except that SunOleic 97R is much more susceptible to tomato spotted wilt virus (TSWV). Also, SunOleic 97R has "high oleic" oil chemistry where Carver has "normal" oil chemistry. Data on TSWV ratings at Marianna, using a 1-10 scale with 1 = no disease, Carver rated a 3.0 vs. 6.4 for SunOleic 97R (Table 1). Using a 1-4 scale (4 = resistant), Carver would rate about a 3.5 vs. 1.5 for SunOleic 97R. Data on oil chemistry for Florida samples (1999-2003) show Carver with about 56-57% oleic fatty acid (18:1) vs. 80±% for SunOleic 97R (Table 4).

Table 4. Oil chemistry data from Florida samples analyzed in University of Florida lab (1999-2003).

Entry/Year/Location	Oleic (18:1)	Linoleic (18:2)	Oil
		· % ·	
<u> Gainesville – 1999 (1)</u>		· ·	·
Carver	63.7	17.7	45.7
Georgia Green	59.6	20.4	48.5
Florunner	62.1	18.2	44.1
Gainesville – 2000 (3)			
Carver	56.3	23.6	48.4
Georgia Green	55.2	25.2	50.1
SunOleic 97R (2)	75.1	7.4	49.4
Florunner (1)	52.8	27.0	49.7
Gainesville - 2001 (3)		· · · · · · · · · · · · · · · · · · ·	
Carver	58.1	22.9	47.2
Georgia Green	53.6	26.8	50.6
Florunner (2)	53.4	24.7	50.9
Gainesville - 2002 (2)	e de la companya de l		
Carver	60.8	20.2	
Georgia Green	52.9	24.1	
Florunner	54.3	26.6	
SunOleic 97R (1)	80.8	4.0	•
<u> Gainesville – 2003 (3)</u>		:	
Carver	54.8	25.9	47.7
Georgia Green	55.3	25.6	50.9
SunOleic 97R (1)	82.9	2.4	48.8
<u> Marianna – 1999 (3)</u>			
Carver	58.4	22.2	47.9
Georgia Green	55.8	24.8	53.3
SunOleic 97R	79.9	3.1	49.8
Florunner (1)	57.5	21.7	49.6

$\underline{\mathbf{Marianna}} - 2000 (2)$		•	4
Carver	53.3	26.0	47.1
Georgia Green	54.1	25.8	52.3
SunOleic 97R (1)	80.2	2.6	48.7
Florunner (1)	56.8	22.6	48.6
<u>Marianna – 2001 (2)</u>			
Carver	52.0	28.7	
Georgia Green (1)	52.3	28.6	
SunOleic 97R	81.7	2.4	·
<u> Marianna 2002 – (1)</u>			
Carver	80.1	28.1	
Georgia Green	51.7	27.9	

Table 5. Data from inoculated white mold yield tests, Marianna (1998-2000).

	Pod Yield	%	%	100-seed	Disease	e rating ¹
Entry	(lbs/A)	TSMK	ELK	wt. (g)	Α	В
Carver	3148	75.0	14.6	66.2	3.1	3.2
Georgia Green	2053	77.7	11.0	56.5	4.5	2.8
SunOleic 97R	1400	76.4	13.0	60.7	7.7	1.7

¹Disease rating, A) 1-10 scale with 1 = no disease, and B) 4-1 scale with 4 = highly resistant.

Table 6. Seed chemistry and flavor data on Carver from Florida samples from commercial lab.

	-	Fatty Aci	ds (%)			
Entry	16:0	18:1	18:2	Oil %	. Sugar %	, Flavor ¹
Carver	9.6	53.1	23.8	48.9	4.0	5.0
Georgia Green	9.7	51.5	26.6	53.0	3.5	5.0

¹Flavor rated on 1-5 (5 = best).

16.c. Exhibit C – Objective Description of Variety

Carver is a runner (prostrate) peanut variety (*Arachis hypogaea* L.) with foliage color being medium green, similar to SunOleic 95R. Seed of Carver are plump, rounded to somewhat elongated with a pink testa and a 100-seed weight of 66± 2g. Pod yields of Carver have been about 19% greater than Georgia Green in Florida tests. Carver has good resistance to tomato spotted wilt virus (better than Georgia Green), with some resistance to *S. rolfsii* and CBR. Table 1 gives data on TSWV ratings for Carver vs. Florunner and Georgia Green in Florida Tests (1996-2001). Caraver rates as more resistant than Georgia Green to TSWV. With limited data on CBR, Carver rates somewhat more resistant than Georgia Green, with similar reaction for *S. rolfsii* reaction (see table 5).

Oil quality of Carver is normal (O/L = 2.6) with about 48% oil content in the seed, being similar to Florunner. Seed of Carver can be somewhat more elongated than Florunner and some other runner market-types.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCIL, POULTRY, CRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY PEANUT (Arachis hypogaea)

NAME OF APPLICANT(S)	VARIETY NAME OR TEMPORARY DESIGNATION
Florida Agricultural Experiment Station	Carver ,
ADDRESS (Street and No. of R.F.D. No., City, State, and ZIP Code) Office of Dean for Research	FOR OFFICIAL USE ONLY
1022 McCarty Hall, University of Florida	PVPO NUMBER
P. O. Box 110200, Gainesville, FL 32611-0200	200300204
Place the appropriate number that describes the varietal character of this variety in th	
Place a zero in first box (e.s. 089 or 09) when number is either 99 or less o	r 9 or less.
1. BOTANICAL TYPE:	
1 Flowering on the Main Stem: 1 = ABSENT 2 = PRESENT	, · · ·
	in a corust (Santiful)
1 = ALTERNATE - Pairs of vegetative & reproductive branches (Virginal Branching Pattern: 2 = SEQUENTIAL - Continuous reproductive branches (Valencia-Spanish)	
2 = SEQUENTIAL - Continuous reproductive branches (Valences—Sp.	
2. PLANT:	10000177 (Start)
1 Principle Community 2 Decommend 1 1 Penaching	I = SPARSE (Valencia) 2 = MODERATE (Starr)
Habit: 3 = SEMI-ERECT (Florispan) 4 = ERECT (Starr)	3 = PROFUSE (Florunner)
3. MATURITY:	W.UNITED STATES 4=OTHER
2 Region: 1=VIRGINIA, NORTH CAROLINA 2 = S.E. UNITED STATES 3=S.	
1 3 5 NUMBER OF DAYS TO MATURITY	
	2 FLORUNNER 3 FLORIGIANT
0 NO. OF DAYS EARLIER THAN	Z = 1 CONO
4 = VIRGINI/	7 = SOUTHEASTERN RUNNER 56-15
NO. OF DAYS LATER THAN	•
L /8 = OTHER C	Specify)
4. LEAVES:	6/9) 2 = MEDIUM GREEN (2.5G 5/9)
2 COLOR AT 60 DAYS: (Nickerson Color Designation):	
3 = DARK GREEN (5G 4/	7) 4 = 01 HER (Specify)
6 3 MM. LEAFLET LENGTH (Basal leaflet of the youngest fully opened leaf)	
6 3 MM. LEAFLET LENGTH (Basal leaflet of the youngest fully opened leaf)	order of the state of the stat
O TO THE PROPERTY OF THE PATTO	
2 8 LEAFLET LENGTH/WIDTH RATIO	
de de constant de	
5. POD: (Average for 20 pods at maturity)	
3 1 MM. LENGTH 1 3 MM. C	DIAMETER
5 0 9 2 KG./HA. POD YIELD	
% LESS THAN	2 = FLORUNNER 3 = FLORIGIANT
4 - VIRGIN	
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
110 KUOSETHAN	7 = SOUTHEASTERN RUNNER 56-15
B = OTHER	7 - SOUTHEASTERN RUNNER 56-15 (Specify) _ Georgia Green

5. POD (Average for	20 pods at matu	rity):							
2 NUMBER	OF SEEDS PER	POD: 1 = 1 2 = 2	2 3-3	4 = 3-4	5 - 2-3-4				
<u></u> '	, CTION: 1 = SHA	LLOW OR NONE(Virgi	inia 56R. Aros	ntine l	2 * MEDIU	IM (Virginia 61R	'J 3 ≂ D:	EEP (Starr	
SURFACE		ABROUS (Florunner)		·	(Florispan)		., .	(0)	•
[
2 BEAK:	1 = ABS	SENI 2=1	NCONSPICU	ous	3 = PRONC	OUNCED	٠		
6. SEED (Mature, cu	red but not aged) :							-
5 COAT C	OLOR: 6=1	•	PURPLE B	= TAN (S = DARK	•	0WN 5 = PIN 9 = VA	NK (<i>Florigia</i> n .RIGATED	<i>t)</i>	
1 coatsur	FACE: 1 = 5	SMOOTH 2 = IND	ENTED	2	1 = UNIFORM	COLOR	2 = BLEMISI	HED	
•	= 68MEBIODVI	(Stare) 2 - 540	SET SECAD				inco (Dist	D	
1 1	≈ SPHERIODAL) 3-ELC			-	
4 31.A.C. 4	= CYLINDRICA	L-TAPERED ENDS	5 = CYLIN	ORICAL E	LUNT ENDS (N	C-2) 6 =	OTHER (Spe	ecify)	
1 7 MM, LEI	NGTH []	0 MM, WIDTH	1 6	6	GRAMS PER 1	00 SEED (8% M	foisture)		
	L	Tested, 1 = Susceptible							
انا	•		,	" <i>DCA</i>	se it,	4=res	7,440	•	
50 2 SOUTHERN	ISTEM ROT			0 R	UST	ř	2AD <i>Э1</i> Э5	105	-
1 EARLY LE	AF SPOT			0 v	IRUS X		010		
1 SOUTHERN	LEAF SPOT			0 M	OSAIC '	*			
0 POD ROT C	OMPLEX		3!		THER (Specify)	Tomato S	Spotted	Wilt V	irus
8. INSECT RESISTAL	NCE: (0 = Not T	ested, 1 = Susceptible, 2	رر (Resistant = Resistant						
					÷				
1 THRIPS		•		0 В	URROWING BU	G	•		
O LEAF HOPP	ER			N I	EMATODE (Spe	cify species)			
0 SOUTHERN	CORN ROOTW	OPM		[U] .	FORTO CODUCT	** * * * * * * * * * * * * * * * * * * *		•	
101 30011121111	COM NOOTH	Onw		<u> </u>	ESSER CORNST	ALK BURER	•		
0 APHID			•	∐ °	THER (Specify)				
9. COMPARISON OF	SUBMITTED V	ARIETY WITH ONE OF	MORE SIM	LAR VAF	RIETIES:				
VARIETY	01L* (%)	PROTEIN*	OLE LINO ACID F	IC: • LEIC IATIO	IODINE* NUMBER	SHELLING (%)	SMK**	ELK+.	MAIN STEI HEIGHT (CM)
SUBMITTED	48.3	25.7	2.6		95	78	76	16	39
SIMILAR	48.9	25.6	2.3		96	78	77	18	38
:	40.5	23.0	4.0			,,,		1	<u> </u>
NAME OF SIMILAR VARIETY	Florunner	SunOleic 97R	Florunn	er	Florunner	SunOleic 97F	SunOleic 95 R	Green	SunOlei 97R
* From Sound Mature		** Sound Mature Kern			ge Kernels	•		<u> </u>	
10. INDICATE A VA	RIETY WHICH	MOST CLOSELY RESE	EMBLES THA	T SUBMI	TTED:				
CHARACT	ER	VARIETY	***		CHARACTER		VAI	YTBIF	
POD COLOR		Florunner		SEEDLI	NG VIGOR		lorunne		
SEED DORMANCY	· · · · · · · · · · · · · · · · · · ·	Florunner		HULLT	HICKNESS		un0leic		
SEED SIZE		Florunner		LEAF C		s	un01eic	95R	
		on or clarification — Su							
	_	stance to toma all better tha	_			ith some 1	resistan	ce to	

16d. Exhibit D - Additional Description of Variety

Carver is a medium maturity (135 \pm 3 DAP) runner market-type peanut with excellent yield potential, excellent TSWV resistance, some resistance to *S. rolfsii* and CBR with normal oil chemistry.

Table 1 gives data on pod yield, grading factors and disease (TSWV) ratings for 40 Florida yield tests conducted at Marianna and Gainesville (1996-2001). These data show the pod yield advantage of Carver over Georgia Green and SunOleic 97R. Based on 100-seed weights, Carver has a larger/denser seed than Georgia Green, however ELK values are very similar. Carver shows better resistance to TSWV than Georgia Green.

Table 2 gives results from planting date tests at Marianna (1998-99), with April, May, and June plantings. TSWV is expected to be greatest at April and June plantings. Carver showed a clear advantage in pod yields and disease resistance over Georgia Green and SunOleic 97R.

Table 3 gives results from TSWV tests grown at Marianna, Florida and Tifton, Georgia (1998-2000). These tests were planted in early April under high disease pressure situations. Carver clearly had a yield and disease resistance advantage over Georgia Green, the resistant check.

Table 4 gives data on oil chemistry from Florida tests, conducted in University of Florida labs. These data were from no less than 10 samples (1999-2003). These results show that Carver has normal oil chemistry, being similar to Florunner.

Table 5 gives data from three yield tests inoculated with *S. rolfsii* (white mold fungus) at Marianna (1998-2000). Based on pod yields and disease ratings, Carver has good resistance to this disease.

Table 6 gives data on seed chemistry and flavor for 1999 crop samples. The seed chemistry from these tests were similar for Carver and Georgia Green, except Georgia Green has a higher oil content. Both had acceptable flavor.

Table 7 gives data on blanching studies from Florida grown samples from 1998-2000. The data on Carver appears to be acceptable but not as good as for C-99R or Georgia Green.

Table 8 gives data on seed sizes of Carver from Marianna samples grown in 1998 and 2000. These results indicate that Carver is more like Georgia Green than C-99R in seed size.

Table 1. Pod yield and grading data for Carver in Florida tests (1996-2001)¹.

Location/year	Yield	TSMK ¹	ELK ²	100 seed	Disc	ease ³
Entry	(lbs./A)	%	%	wt. (g)	A	В
<u> Marianna – 1996 (1)⁴</u>		-				
Carver	5489	78.1	7.1	64.5	4.0	3.0
Florunner	3761	80.1	16.2	59.2	7.3	1.8
<u> Marianna – 1997 (2)</u>						
Carver	3356	76.1	9.2	63.9	4.1	2.9
Florunner	2091	77.2	12.1	57.5	7.2	1.8
<u> Marianna – 1998 (3)</u>						
Carver	3505	75.1	12.4	64.9	2.5	3.5
Florunner	1641	76.8	13.0	59.2	6.7	2.1
<u> Marianna – 1998 (3)</u>						
Carver	3616	74.5	13.6	69.8	3.2	3.2
Georgia Green	2367	76.5	15.6	60.3	5.6	2.5
<u> Marianna – 1999 (5)</u>	•			•	,	
Carver	3859	76.6	8.9	64.3	2.7	3.4
Florunner/97R	2123	77.2	9.3	56.6	6.1	2.3
Georgia Green	3153	79.1	8.9	54.0	4.2	2.9
Marianna - 2000 (8)						
Carver	5067	77.5	17.8	70.6	2.7	3.4
Florunner/97R	3376	78.1	22.5	64.2	7.2	1.8
Georgia Green	4840	78.9	21.9	59.8	3.7	3.1
<u>Marianna – 2001 (5)</u>						
Carver	5586	76.4	22.5	68.4	2.7	3.4
Florunner/97R	3682	78.2	28.1	63.6	6.4	2.2
Georgia Green	4805	72.3	23.5	57.1	3.9	3.1
<u> Marianna – 2001 (4)</u>				•		
Carver	4729	73.5	15.8	59.7	2.6	3.4
Georgia Green	4126	78 .5	15.7	55.1	4.4	2.8
Gainesville – 1997 (1)			•			
Carver	4683	79.4	23.3	69.6	1.5	3.8
Georgia Green	4441	78.8	31.9	63.6	2.0	3.7
<u>Gainesville – 1998 (2)</u>						
Carver	5433	74.0	35.4	76.8	1.5	3.8
Georgia Green	4562	73.9	33.1	64.8	2.0	3.7
Gainesville – 1999 (16)				•		
Carver	5244	77.1	29.3	74.1	1.7	3.8
Florunner/97R	4310	77.5	30.8	66.7	1.9	3.7
Georgia Green	4949	78.9	31.4	63.5	1.7	3.8

TSMK = total sound mature kernels = seed that ride a 16/64th inch slotted screen.

²ELK = extra large kernels = seed that ride a 21.5/64th inch slotted screen.

³Disease = severity ratings for tomato spotted wilt virus, A) 1-10 scale, 1 = no disease and B) 4-1 scale, with 4 = highly resistant.

⁴Number in parentheses is total number of tests average for given data.

Table 2. Planting date test - Marianna (1998-1999).

Entry/Planting	Pod Yield	TMSK	ELK	100-seed	Disease	rating ¹
Date	(lbs/A)	%	%	wt. (g)	A	В
<u>April</u>						
Georgia Green	2363	76.2	18.5	62.3	5.9	2.4
SunOleic 97R	1395	71.7	14.9	56.5	6.7	2.1
Carver	2758	69.7	10.7	65.3	4.0	3.0
May						
Georgia Green	3165	78.5	11.7	56.5	3.8	3.1
SunOleic 97R	2302	74.0	13.2	60.9	6.6	2.2
Carver	3637	75.0	8.0	63.6	2.8	3.4
<u>June</u>		÷:				
Georgia Green	3279	78.9	6.6	52.3	3.6	3.1
SunOleic 97R	2332	76.5	7.7	54.2	6.8	2.1
Carver	3509	74.4	3.4	60.7	2.2	3.6

¹Disease rating, A) 1-10 scale with 1 = no disease, and B) 4-1 scale with 4 = highly resistant.

Table 3. Tomato spotted wilt studies in Florida and Georgia (1998-2000)¹.

		% Dis	sease		Yield (kg	g/ha)
Entry	GA	FL	Mean	GA	FL	Mean
<u>1998</u>						
Georgia Green	48.8	59.2	53.9	3940	4035	3988
Georgia Runner	80.8	80.4	80.6	3360	3236	3298
Carver	35.0	33.8	34.4	5529	4946	5237
<u>1999</u>						
Georgia Green	56.7	64.4	60.5	2352	1594	1973
GK 7	72.9	87.1	80.0	2278	834	1556
Carver	43.3	52.5	47.9	3430	2650	3040
<u>2000</u>						
Georgia Green	58.9	37.5	48.2	3451	4534	3993
GK 7	75.4	90.8	83.1	2280	1967	2124
Carver	28.1	16.3	22.2	4521	5406	4964

¹Data from Dr. Albert Culbreath, University of Georgia, Tifton.

Table 7. Blanching data for Carver (1999-2000)¹.

Entry	Splits	Whole	Not	Partial
<u>1998</u>	<u> </u>	%	,	
Carver	9.0	79.0	4.5	5.0
Georgia Green	11.5	82.0	1.0	3.0
C-99R	9.5	83.5	1.0	3.5
<u>1999</u>				•
Carver	2.5	76.5	8.0	10.5
Georgia Green	5.0	83.0	5.0	4.5
C-99R	3.0	84.0	4.0	6.5
<u> 2000</u>				
Carver	4.0	77.5	11.0	6.5
Georgia Green	8.0	82.0	5.0	4.5
C-99R	6.0	86.0	2.0	3.0

¹Data from Walt Mozingo, VPI, Suffolk, VA.

Table 8. Seed sizing distribution for Carver (1998-2000).

	Percent riding screen size						
Entry	21/64"	18/64"	16/64"	14/64"	SS	OK	Meat
2000				%			
Carver	24.7	43.9	4.6	1.1	4.5	0.9	79.7
Georgia Green	35.1	34.4	3.7	0.8	2.7	0.5	77.2
<u>1998</u>							
Carver	14.2	42.9	10.4	3.7	1.8	3.9	76.9
Georgia Green	52.0	15.2	4.0	1.8	1.4	2.0	76.4

Table 5. Data from inoculated white mold yield tests, Marianna (1998-2000).

Entry	Pod Yield (lbs/A)	% TSMK	% ELK	100-seed wt. (g)	Disease rating* (1-10)
Carver	3148	75.0	14.6	66.2	3.1
Georgia Green	2053	77.7	11.0	56.5	4.5
SunOleic 97R	1400	76.4	13.0	60.7	7.7

Table 6. Seed chemistry and flavor data on Carver from Florida samples.

	Fatty Acids (%)			%	%	-
Entry	16:0	18:1	18:2	Oil	Sugar	Flavor*
Carver	9.6	53.1	23.8	48.9	4.0	5.0
Georgia Green	9.7	51.5	26.6	53.0	. 3.5	5.0

^{*}Flavor rated on 1-5 (5 = best).

Table 7. Blanching data for Carver (1999-2000).

Entry	Splits	Whole	Not	Partial
	орию		,	1 artiar
<u>1998</u>		%		
Carver	9.0	79.0	4.5	5.0
Georgia Green	11.5	82.0	1.0	3.0
C-99R	9.5	83.5	1.0	3.5
<u>1999</u>				
Carver	2.5	76.5	8.0	10.5
Georgia Green	5.0	83.0	5.0	4.5
C-99R	3.0	84.0	4.0	6.5
<u>2000</u>				
Carver	4.0	77.5	11.0	6.5
Georgia Green	8.0	82.0	5.0	4.5
C-99R	6.0	86.0	2.0	3.0

Table 8. Seed sizing distribution for Carver (1998-2000).

	Percent riding screen size						
Entry	21/64"	18/64"	16/64"	14/64"	SS	OK	Meat
<u>2000</u>				%			
Carver	24.7	43.9	4.6	1.1	4.5	0.9	79.7
Georgia Green	35.1	34.4	3.7	0.8	2.7	0.5	77.2
<u>1998</u>							
Carver	14.2	42.9	10.4	3.7	1.8	3.9	76.9
Georgia Green	52.0	15.2	4.0	1.8	1.4	2.0	76.4

16.e. Ownership Statement

Carver originates from a cross made in the greenhouse at the Marianna NFREC in 1990 by D. W. Gorbet. All selections were made under sprayed (leafspot) management programs with medium to high management. A pedigree selection program was followed and seed from two F_5 plants were bulked to initiate yield tests at Marianna in 1996. UF97102 was tested at Marianna and Gainesville in 1997. UF97102 was approved for release by the University of Florida Agricultural Experiment Station (FAES) in 2002 as a new runner market-type peanut variety, named Carver.

Florida Foundation Seed Producers, Inc. (FFSP) is the designated agent for FAES and authorized to produce and market breeder and foundation seed of Carver. Only companies with approved contracts with FFSP are authorized to produce and sell seed of Carver.

Carver was developed by FAES scientist (breeder). By agreement between the breeder and FAES, this invention belongs to FAES and all rights, access, and use of this invention shall be in accordance to FAES policy.

REPRODUCE LOCALLY. Include form number and date on all reproductions.	FORM APPROVED - OMB NO. 0581-0055 EXPIRES: 12-31-96
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE	The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.
SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE	
EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION 3. VARIETY NAME
RAYO	OR EXPERIMENTAL NUMBER
Florida Agricultural Experiment Station	TIE07103
University of Florida/IFAS 5/6/05	UF97102 Carver
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country)	5. TELEPHONE (include area code) 6. FAX (include area code)
Office of Dean for Research	
1022 McCarty Hall, University of Florida	352-392-1784 352-392-4965
P. O. Box 110200	7. PVPO NUMBER
Gainesville, FL 32611-0200	200300204
8. Does the applicant own all rights to the variety? Mark an "X" in appropriate b	lock If no places explain
	X YES NO
· · · · · · · · · · · · · · · · · · ·	
9. Is the applicant (individual or company) a U.S. national or U.S. based company	?
If no, give name of country	X YES NO
10. Is the applicant the original breeder? If no, please answer the following:	
	X YES NO
a. If original rights to variety were owned by individual(s):	
Is (are) the original breeder(s) a U.S. national(s)? If no, give name of c	ountry
and the first of the second of	and the second of the second o
	X YES NO
b. If original rights to variety were owned by a company:	
is the original breeder(s) U.S. based company? If no, give name of cou	intry
11. Additional explantion on ownership (If needed, use reverse for extra space):	
D. W. Gorbet (Professor) - peanut breeder for Flo	oride Acricultural Evneriment Station
peande bleedel, for Fig.	orida Agricultural Experiment Station
PLEASE NOTE:	
Plant variety protection can be afforded only to owners (not licensees) who meet o	ne of the following criteria:
 If the rights to the variety are owned by the original breeder, that person must of a country which affords similar protection to nationals of the U.S. for the sar 	be a U.S. national, national of a UPOV member country, or national me genus and species.
2 If the rights to the variety are award by the commence which and the same	the little district and annual training the little training the
If the rights to the variety are owned by the company which employed the originationals of a UPOV member country, or owned by nationals of a country which	anal breeder(s), the company must be U.S. based, owned by
genus and species.	a alterial samilar protection to hationals of the o.o. for the same
3. If the applicant is an owner who is not the original breeder, both the original breeder.	ander and the applicant must meet one of the shove criteria
o, it the applicant is an owner who is not the original preeder, both the original pre	seder and the applicant must meet one of the above official.
The original breeder may be the individual or company who directed final breed definition.	ling. See Section 41(a)(2) of the Plant Variety Protection Act for
Public reporting burden for this collection of information is estimated to average 10 minutes per response, inc	luding the time for reviewing instructions, searching existing data sources, gathering and
maintaining the data needed, and completing and reviewing the collection of information. Send comments registing suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, 0581-0055 and form number in your letter.	arding this burden estimate or any other aspect of this collection of information, including
Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a val	id OMB control number.
The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color	national origin, say, religion, age, disability, political beliefs, and mantal or familial status.
(Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for com USDA Office of Communications at [202] 720-2791.	nmunication of program information (braille, large print, audiotape, etc.) should contact the

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call [202] 720-7327 (voice) or [202] 720-1127 (TDD). USDA is an equal employment opportunity employer.

REPRODUCE LOCALLY. Include form number and date on all reproductions.